

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	3	"20090089174".pn. "20020143653".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/09 10:30
S2	2	("20090089174".pn. "20020143653".pn.) and template	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/09 10:33
S3	2	("20090089174".pn. "20020143653".pn.) and ((operand or operator or express\$4) same (rule or restrict\$4 or constrain\$4 or limit \$4 or limitation or invalid or inoperable or valid\$6 or verif\$5 or verification))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/09 10:50
S4	1	("20090089174".pn. "20020143653".pn.) and ((operand or operator or express\$4) same (rule) same (restrict\$4 or constrain \$4 or limit\$4 or limitation or invalid or inoperable or valid\$6 or verif\$5 or verification))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/09 10:53
S5	3	("20090089174".pn. "20020143653".pn.) and (operand or operator or express\$4 or rule)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/09 11:06
S6	1	("20090089174".pn. "20020143653".pn.) and ((operand or operator) same (rule or express\$4) same (restrict\$4 or constrain \$4 or limit\$4 or limitation or invalid or inoperable or valid\$6 or verif\$5 or verification))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/09 15:08

S7	2	("20090089174".pn. "20020143653".pn.) and ((operand or operator or boolean or template) same (rule or formula or equation or express\$4) same (restrict\$4 or constrain \$4 or limit\$4 or limitation or invalid or inoperable or valid\$6 or verif\$5 or verification))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/09 15:10
S8	729	(configurator or ((product or item) near3 (customiz\$6 or tailor\$3 or personaliz\$6 or configur\$6))) and ((operand or operator or express\$4) same (rule) same (restrict\$4 or constrain\$4 or limit \$4 or limitation or invalid or inoperable or valid\$6 or verif\$5 or verification))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/09 15:28
S9	75	configurator and ((operand or operator or express\$4) same (rule) same (restrict\$4 or constrain\$4 or limit \$4 or limitation or invalid or inoperable or valid\$6 or verif\$5 or verification))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/09 15:29
S10	31	configurator and ((operand or operator or express\$4) same (productid or componentid or subcomponentid or subproductid or product or component or subcomponent or subproduct) same (rule) same (restrict\$4 or constrain\$4 or limit \$4 or limitation or invalid or inoperable or valid\$6 or verif\$5 or verification))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/09 15:31

S11	23	configurator and ((operand or operator or express\$4) same (productid or componentid or subcomponentid or subproductid or product or component or subcomponent or subproduct) same (rule) same (restrict\$4 or constrain\$4 or limit \$4 or limitation or invalid or inoperable or valid\$6 or verif\$5 or verification)) and (template or natural adj language)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/09 15:34
S12	19	configurator and ((operand or operator or express\$4) same (productid or componentid or subcomponentid or subproductid or product or component or subcomponent or subproduct) same (rule) same (restrict\$4 or constrain\$4 or limit \$4 or limitation or invalid or inoperable or valid\$6 or verif\$5 or verification)) and ((template or natural adj language) same (rule or expression or operator or operand))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/09 15:35
S13	12	configurator and ((operand or operator or express\$4) same (productid or componentid or subcomponentid or subproductid or product or component or subcomponent or subproduct) same (rule) same (restrict\$4 or constrain\$4 or limit \$4 or limitation or invalid or inoperable or valid\$6 or verif\$5 or verification)) and	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/09 16:03

		((template or natural adj language) same (rule or express\$4 or operator or operand)) and ((custom or customiz\$6 or tailor\$4) with (rule or express\$4 or grammar))				
S14	32	((product or vehicle or car or automobile) near5 (customiz\$6 or personaliz\$6 or tailor \$4)) and ((operand or operator or express\$4) same (productid or componentid or subcomponentid or subproductid or product or component or subcomponent or subproduct) same (rule) same (restrict\$4 or constrain\$4 or limit \$4 or limitation or invalid or inoperable or valid\$6 or verif\$5 or verification)) and ((template or natural adj language) same (rule or express\$4 or operator or operand)) and ((custom or customiz\$6 or tailor\$4) with (rule or express\$4 or grammar))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/09 17:10
S15	35	((product or vehicle or car or automobile) near5 (recommend\$6 or suggest\$4 or customiz\$6 or personaliz \$6 or tailor\$4)) and ((operand or operator or express\$4) same (productid or componentid or subcomponentid or subproductid or product or component or subcomponent or subproduct) same (rule) same (restrict\$4 or constrain\$4 or limit \$4 or limitation or invalid or inoperable or	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/09 17:34

		valid\$6 or verif\$5 or verification)) and ((template or natural adj language) same (rule or express\$4 or operator or operand)) and ((custom or customiz\$6 or tailor\$4) with (rule or express\$4 or grammar))				
S16	67	((product or vehicle or car or automobile or component) near5 (design\$4 or configur\$6 or recommend\$6 or suggest\$4 or customiz\$6 or personaliz\$6 or tailor\$4)) and ((operand or operator or express\$4) same (productid or componentid or subcomponentid or subproductid or product or component or subcomponent or subproduct) same (rule) same (restrict\$4 or constrain\$4 or limit\$4 or limitation or invalid or inoperable or valid\$6 or verif\$5 or verification)) and ((template or natural adj language) same (rule or express\$4 or operator or operand)) and ((custom or customiz\$6 or tailor\$4) with (rule or express\$4 or grammar)) not seubert.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/10 10:57

S17	81	((product or vehicle or car or automobile or component) near5 (design\$4 or configur\$6 or recommend\$6 or suggest\$4 or custom or customiz\$6 or personaliz\$6 or tailor\$4)) and ((operand or operator or express\$4) same (productid or componentid or subcomponentid or subproductid or product or component or subcomponent or subproduct) same (rule) same (restrict\$4 or constrain\$4 or limit\$4 or limitation or invalid or inoperable or valid\$6 or verif\$5 or verification)) and ((template or natural adj language) same (rule or express\$4 or operator or operand)) and ((custom or customiz\$6 or tailor\$4) with (rule or express\$4 or grammar)) not seubert.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/10 10:58
S18	18	configurator and ((operand or operator or express\$4) same (productid or componentid or subcomponentid or subproductid or product or component or subcomponent or subproduct) same (rule) same (restrict\$4 or constrain\$4 or limit\$4 or limitation or invalid or inoperable or valid\$6 or verif\$5 or verification)) and ((template or natural adj language) same (rule or expression or operator or operand)) not seubert.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/10 10:59

S19	87	S17 S18	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/10 10:59
S20	2	("5617514".pn. "20020165701".pn. "20040210445""pn") and S19	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/10 11:01
S21	19	configurator and ((operand or operator or express\$4) same (productid or componentid or subcomponentid or subproductid or product or component or subcomponent or subproduct) same (rule) same (restrict\$4 or constrain\$4 or limit \$4 or limitation or invalid or inoperable or valid\$6 or verif\$5 or verification)) and ((template or natural adj language) same (rule or express\$4 or operator or operand)) not seubert.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/10 11:02
S22	2	("5617514".pn. "20020165701".pn. "20040210445""pn") and (S17 or S21)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/10 11:03
S23	84	((product or vehicle or car or automobile or component) near5 (design\$4 or configur\$6 or recommend\$6 or suggest\$4 or custom or customiz\$6 or personaliz \$6 or tailor\$4)) and ((operand or operator or express\$4) same (productid or componentid or subcomponentid or subproductid or product or component or subcomponent or subproduct) same	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/10 11:10

		(rule) same (incompatible or incompatibility or incompatibilities or compatible or restrict\$4 or constrain\$4 or limit \$4 or limitation or invalid or inoperable or valid\$6 or verif\$5 or verification)) and ((template or natural adj language) same (rule or express\$4 or operator or operand)) and ((custom or customiz\$6 or tailor\$4) with (rule or express\$4 or grammar)) not seubert.in.				
S24	19	configurator and ((operand or operator or express\$4) same (productid or componentid or subcomponentid or subproductid or product or component or subcomponent or subproduct) same (rule) same (incompatible or incompatibility or incompatibilities or compatible or restrict\$4 or constrain\$4 or limit \$4 or limitation or invalid or inoperable or valid\$6 or verif\$5 or verification)) and ((template or natural adj language) same (rule or express\$4 or operator or operand)) not seubert.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/10 11:11
S25	91	S23 S24	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/10 11:11

S26	78	S25 and ((developer or technical\$2 or backoffice or back adj office or salesman or salesmen or salesperson or administrat\$4 or user or professional) with (interface or webpage or web or template or natural adj language)) and ((product or item or merchandis\$3 or goods or vehicle or car or automobile) same (class or classif\$4 or classification or category or categories or categoriz\$6 or hierarchy or hierarchical \$2 or tree or node))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/10 11:12
S27	2	("5617514".pn. "20020165701".pn. "20040210445""pn") and S26	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/10 11:14
S28	2	("5617514".pn. "20020165701".pn. "20040210445""pn") and ((developer or technical\$2 or backoffice or back adj office or salesman or salesmen or salesperson or administrat\$4 or user or professional) same (interface or webpage or web or template or natural adj language))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/10 12:56
S29	4	("5617514".pn. "20020165701".pn. "20040210445""pn" "5,844,554".pn.) and ((developer or technical \$2 or backoffice or back adj office or salesman or salesmen or salesperson or administrat\$4 or user or professional) same (interface or webpage or web or template or	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/10 12:57

		natural adj language))				
S30	8	configurator and ((operand or operator or express\$4) same (productid or componentid or subcomponentid or subproductid or product or component or subcomponent or subproduct) same ((custom or customiz\$6 or tailor\$4) with rule) same (incompatible or incompatibility or incompatibilities or compatible or restrict\$4 or constrain\$4 or limit \$4 or limitation or invalid or inoperable or valid\$6 or verif\$5 or verification)) and ((template or natural adj language) same (rule or express\$4 or operator or operand)) not seubert.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/10 15:10
S31	1	"5617514".pn. and ((operand or operator or express\$4) same (productid or componentid or subcomponentid or subproductid or product or component or subcomponent or subproduct) same ((custom or customiz\$6 or tailor\$4) with rule) same (incompatible or incompatibility or incompatibilities or compatible or restrict\$4 or constrain\$4 or limit \$4 or limitation or invalid or inoperable or valid\$6 or verif\$5 or verification)) not seubert.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/10 15:12

S32	1	"5617514".pn. and ((custom or customiz\$6 or tailor\$4) with rule)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/10 15:12
S33	73	((custom or customiz\$6 or tailor\$4) with rule) and ((product or vehicle or car or automobile or component) near5 (design\$4 or configur\$6 or recommend\$6 or suggest\$4 or custom or customiz\$6 or personaliz \$6 or tailor\$4)) and ((operand or operator or express\$4) same (productid or componentid or subcomponentid or subproductid or product or component or subcomponent or subproduct) same (rule) same (restrict\$4 or constrain\$4 or limit \$4 or limitation or invalid or inoperable or valid\$6 or verif\$5 or verification)) and ((template or natural adj language) same (rule or express\$4 or operator or operand)) and ((custom or customiz\$6 or tailor\$4) with (rule or express\$4 or grammar)) not seubert.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/10 15:13
S34	9122	705/26-27.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/13 07:07

4/13/09 11:34:35 AM

C:\Documents and Settings\R Pond\My Documents\EAST\workspaces\09945441
04_09_09.wsp